

# TEREX BENDINI

A 600



## INFORMATION

YEAR OF PRODUCTION

2006

LOCATION

Sohar, Oman

Price: On Request

Contact

[martin.kirby@johnsonarabia.com](mailto:martin.kirby@johnsonarabia.com)

[alaa.farah@johnsonarabia.com](mailto:alaa.farah@johnsonarabia.com)





**JOHNSON**  
**ARABIA**

**800-LIFTING**

# TEREX BENDINI

A 600



## DIMENSIONS



**JOHNSON**  
**ARABIA**

Price: On Request


Contact

[martin.kirby@johnsonarabia.com](mailto:martin.kirby@johnsonarabia.com)

**800-LIFTING**

# TEREX BENDINI

A 600



## WORKING RANGE

Price: On Request

Contact

[martin.kirby@johnsonarabia.com](mailto:martin.kirby@johnsonarabia.com)



**JOHNSON**  
**ARABIA**  
**800-LIFTING**

# TEREX BENDINI

A 600

## Truck Performance Data

Max. travelling speed (on 18.00R25 - A600S tyres)	30 km/h
Max. travelling speed (on 23.5R25 - A600L tyres)	30 km/h
Max. travelling speed (on 26.5R25 - A600L tyres)	32 km/h
Max. theoretical ramp during operation (on 18.00R25 - A600S tyres)	170 %
Max. theoretical ramp during operation (on 23.5R25 - A600L tyres)	174 %
Max. theoretical ramp during operation (on 26.5R25 - A600L tyres)	135 %

## Operating Speed and Time

Main winch (max. speed under direct pull)	150 m/min
Auxiliary winch (max. speed under direct pull)	80 m/min
Telescopic boom lifting / lowering	50 / 40 s
Telescopic boom extension / retraction (10.3 m to 32.4 m)	90 / 80 s
Upper structure slewing	30 s
Extension of single outrigger beam	25 s
Extension of single outrigger	35 s

## Weight

### A600S weights(2S)

1st axle	18.2 t
2nd axle	21.8 t
Total	40 t

### A600L weights(2L)

1st axle	18.4 t
2nd axle	22.1 t
Total	40.5 t

## Engine hours

10514.9Hrs

## SPEED AND WEIGHT

Price: On Request

Contact

[martin.kirby@johnsonarabia.com](mailto:martin.kirby@johnsonarabia.com)

